

# JIRA with Apache Coyote sending compressed reply without Content-Encoding header

This article applies to: JIRA Client

## Problem

JIRA can be configured to send compressed HTTP replies if web client understands them. When a compressed reply is sent, it should be declared as such with a HTTP header.

The problem is that when sending a compressed reply, JIRA with Apache Coyote HTTP server sometimes "forgets" to mark the reply as compressed. This leads to client trying to process packed bytes as an original text (XML, for example), which, in turn, lead to application errors.



Packing the content is done via Accept-Encoding and Content-Encoding HTTP headers. Technical specifications can be found in [RFC 2616](#)

## Workarounds

If you experience this problem, the workaround would be to disable HTTP compression. This can be done in either of two ways:



You need to disable compression either on the server, or on the client. There's no need to disable compression on both ends.

### Disable HTTP compression in JIRA

This is the preferred way, since other people using the same server may experience the same issue. Access to JIRA administration is required.

1. Open Administration | General Configuration page.
2. Turn "Use gzip compression" option to OFF

### Disable HTTP compression in JIRA Client

That way JIRA client will not tell the server that it accepts compressed replies, which should make the server send plain replies. In JIRA Client 1.x, this can be done with a `disable.http.compression` command-line option.

1. Stop JIRA Client if it is running.
2. Create a file named `jiraclient.properties` in the **installation directory** (for example: `C:\Program Files\JIRA Client\jiraclient.properties`). Edit this file if it exists.
3. In `jiraclient.properties`, place or add a single line:

```
disable.http.compression=true
```

4. Start JIRA Client and check if the problem is still there

For more information on command-line options and how to use them, see [old wiki](#). (That article is about Deskzilla, but it applies to JIRA Client as well.)

*TBD: move command-line reference and docs to the new KB*